

Long-Term Assessment and Optimization of Wind Energy Potential for Electricity Production along Palestine's Mediterranean Coast

Dr. Emre Yıldız¹

Department of Civil Engineering, Middle East Technical University, Ankara, Turkey

Prof. Selin Kaya²

Faculty of Civil Engineering, Istanbul Technical University, Istanbul, Turkey

Published Date: - 29 November 2020, Page No.: - 34-41

KEYWORDS

Daily peak demand, neural networks, deep learning, recurrent neural networks, electricity load forecasting, smart grid, demand-side management, predictive modeling, energy efficiency, grid optimization.

ABSTRACT

The demand for sustainable and reliable energy sources has intensified the global focus on renewable energy, with wind power emerging as a critical component of low-carbon energy systems. Palestine, particularly along its Mediterranean coast, exhibits promising wind resources, yet systematic, long-term assessments remain scarce. This study presents a comprehensive evaluation of wind energy potential for electricity generation along the Palestinian Mediterranean coast, spanning a 14-year period. The research employs both Weibull and Rayleigh distribution models to characterize wind speed variability, incorporating multiple numerical parameter estimation techniques, including maximum likelihood, method of moments, and least squares regression, to enhance the accuracy and robustness of wind power density calculations (Pishgar-Komleh, 2015; Mohammadi & Mostafaeipour, 2013). Historical wind datasets obtained from the Palestinian Energy and Natural Resources Authority and satellite-derived measurements are analyzed to quantify temporal and seasonal variability, identify prevailing wind patterns, and assess long-term trends in wind resource availability (Data Source, 2019; Data_source_google_earth).

The study further investigates optimal placement and configuration of wind turbines, evaluating the potential electricity output under varying design and operational scenarios. Comparative analysis of numerical methods demonstrates significant differences in Weibull parameter estimation, which in turn affects power density predictions and energy yield optimization (Arslan et al., 2014; Andrade et al., 2014). The results reveal that the Mediterranean coast exhibits high wind energy potential during the winter and transitional seasons, with power densities capable of supporting medium- to large-scale wind farm deployment. Additionally, the study highlights the importance of integrating site-specific wind characteristics with statistical modeling to minimize uncertainty in energy projections, thereby facilitating more effective renewable energy planning and investment decision-making (Badawi, 2013; Albuhaire, 2006).

The findings of this research have practical implications for policymakers, grid operators, and renewable energy developers seeking to enhance energy security, reduce dependence on imported fossil fuels, and contribute to Palestine's sustainable energy transition. By providing a long-term, data-driven framework for assessing wind energy resources and optimizing turbine deployment, this study contributes to the advancement of scientific methodologies in wind energy research and offers a replicable approach for regions with similar coastal wind regimes. The research underscores the critical role of long-term statistical analysis in identifying reliable renewable energy resources, optimizing system efficiency, and supporting the strategic integration of wind power into national electricity grids.

INTRODUCTION

1.1 Background

The global energy landscape is undergoing a rapid transformation, driven by the need to mitigate climate change, reduce reliance on fossil fuels, and ensure sustainable development. Renewable energy technologies, particularly wind energy, have emerged as a critical component in achieving these objectives. Wind energy offers significant environmental and economic advantages, including low greenhouse gas emissions, scalability, and relatively rapid deployment compared to conventional energy sources (Akpınar & Akpınar, 2005; FRIED, 2017). The Mediterranean coast of Palestine presents a unique opportunity for harnessing wind energy due to its favorable climatic conditions, relatively steady coastal wind patterns, and proximity to growing urban and industrial centers. Despite this potential, systematic, long-term evaluations of wind energy resources in this region remain limited, creating a significant gap in knowledge for policymakers, engineers, and energy planners (Badawi, 2013; Pishgar-Komleh, 2015).

1.2 Problem Statement

The electricity demand in Palestine has been steadily increasing due to population growth, urbanization, and industrial expansion. Concurrently, the dependence on imported fossil fuels has exposed the energy sector to price volatility and supply instability. While wind energy offers a viable alternative, there is a lack of comprehensive, long-term studies evaluating wind potential along the Mediterranean coast. Previous studies often rely on short-term datasets or localized measurements, which fail to capture the temporal variability and long-term trends critical for accurate energy assessment (Albuhairi, 2006; Costa Rocha et al., 2012). Additionally, inconsistencies in analytical approaches, particularly in estimating Weibull parameters and predicting power density, limit the reliability of energy forecasting models (Andrade et al., 2014; Arslan et al., 2014). Without robust assessment and optimization strategies, wind energy

projects risk suboptimal turbine placement, inefficient energy production, and economic infeasibility.

1.3 Research Relevance

This study addresses these gaps by providing a long-term, methodologically rigorous assessment of wind energy potential in Palestine. Utilizing 14 years of wind speed data, the research integrates statistical modeling, numerical analysis, and energy optimization frameworks to quantify the region's electricity generation potential. By applying multiple techniques for estimating Weibull distribution parameters and comparing them against Rayleigh models, the study identifies optimal approaches for reliable energy prediction (Pishgar-Komleh, 2015; Mohammadi & Mostafaeipour, 2013). The findings provide actionable insights for wind farm developers, policymakers, and grid operators, supporting the strategic deployment of renewable energy infrastructure in a region with significant energy security challenges.

1.4 Objectives

The primary objectives of this research are:

1. To analyze long-term wind speed characteristics along Palestine's Mediterranean coast and evaluate temporal and seasonal variability.
2. To estimate wind power density using both Weibull and Rayleigh distribution models, comparing numerical techniques for parameter estimation.
3. To identify optimal turbine placement strategies and assess system efficiency under various modeling approaches.
4. To provide a data-driven framework that supports renewable energy planning, policy development, and sustainable electricity generation.

1.5 Scope and Significance

This research focuses specifically on the coastal strip of Palestine, incorporating 14 years of wind speed data sourced from the Palestinian Energy and Natural Resources Authority and satellite observations (Data Source, 2019; Data_source_google_earth). By integrating long-term statistical analysis with practical optimization, the study provides a holistic understanding of the region's wind energy potential. The significance of this work lies in bridging knowledge gaps, standardizing analytical approaches for wind energy assessment, and offering evidence-based recommendations for maximizing electricity generation efficiency. The study further contributes to the global discourse on renewable energy deployment in regions with moderate-to-high wind potential but limited prior research.

1.6 Theoretical Foundation

The study builds upon the theoretical foundations of wind energy resource assessment, which rely on probability distribution models to characterize wind behavior and predict power generation potential. Weibull and Rayleigh distributions are widely recognized for their ability to represent wind speed variability and frequency, serving as critical tools for calculating power density and informing turbine design (Akpınar & Akpınar, 2005; Pishgar-Komleh, 2015). By applying multiple numerical estimation techniques—such as maximum likelihood estimation, method of moments, and least squares regression—the study ensures robustness in parameter estimation, addressing the inherent uncertainties in wind data and providing accurate long-term forecasts (Andrade et al., 2014; Arslan et al., 2014).

1.7 Challenges and Justification

Several challenges complicate the assessment of wind energy potential along Palestine's Mediterranean coast. First, wind data availability is limited, requiring careful integration of on-site measurements with satellite-derived datasets to ensure temporal coverage and spatial resolution.

Second, variability in coastal wind patterns, influenced by seasonal shifts, topography, and meteorological events, introduces uncertainty in energy output predictions (Badawi, 2018a; Mohammadi et al., 2016). Third, optimization of turbine placement requires balancing energy yield with infrastructure constraints, such as proximity to transmission lines, land-use considerations, and environmental impacts. This research justifies the need for a systematic, long-term approach that accounts for these complexities, offering a reliable framework for both academic inquiry and practical energy planning.

Keywords

Wind energy, Renewable energy, Weibull distribution, Mediterranean coast, Power density analysis, Energy optimization, Palestine, Wind turbine modeling, Seasonal wind variability, Electrical generation

1. Introduction

1.1 Problem Statement

The Mediterranean coast of Palestine represents a strategic region for renewable energy deployment due to its high wind potential and growing electricity demand. Despite this, systematic long-term assessments of wind energy potential remain limited, constraining the optimal design and implementation of wind-based power systems. Regional energy planning has relied on sparse datasets, resulting in underutilization of wind resources (Badawi, 2013; Data Source, 2019). Furthermore, variability in wind patterns and the absence of standardized analysis methods exacerbate inefficiencies in energy output forecasting.

1.2 Research Relevance

Wind energy is a critical component of Palestine's sustainable energy transition. By quantifying long-term wind resource characteristics and optimizing turbine placement, this study addresses both technical and policy-relevant gaps in renewable

energy planning. Accurate modeling informs grid integration strategies and enhances the economic viability of wind farms, particularly in coastal regions with complex topographical influences (Akpinar & Akpinar, 2005; Mohammadi & Mostafaeipour, 2013).

1.3 Objectives

The primary objectives of this research are to:

1. Assess wind speed characteristics along the Mediterranean coast of Palestine over a 14-year period.
2. Evaluate power density using Weibull and Rayleigh distribution models.
3. Compare numerical estimation methods for Weibull parameters and identify optimal techniques for accurate wind energy forecasting.
4. Provide recommendations for turbine placement, system optimization, and sustainable energy planning.

1.4 Scope and Significance

This research focuses exclusively on the Mediterranean coastal strip of Palestine, incorporating regional datasets spanning 2005–2019. The study emphasizes analytical modeling, comparative method assessment, and practical implications for electricity generation. The significance lies in bridging data gaps, standardizing analysis methodologies, and supporting renewable energy policy formulation (Pishgar-Komleh, 2015; Badawi, 2018b).

LITERATURE REVIEW

2.1 Wind Energy Assessment Techniques

Quantitative evaluation of wind energy potential relies on statistical characterization of wind speed data. Akpinar and Akpinar (2005) demonstrated the importance of seasonal analysis in capturing variability and predicting turbine performance.

Similarly, Pishgar-Komleh et al. (2015) validated Weibull and Rayleigh distribution models as robust tools for wind speed modeling and power density estimation. The comparative efficacy of these methods enables precise resource assessment, critical for designing efficient wind power systems in variable coastal climates.

2.2 Comparative Numerical Methods

Accurate estimation of Weibull parameters is foundational for wind energy forecasting. Studies by Andrade et al. (2014) and Arslan et al. (2014) compared multiple numerical methods, highlighting discrepancies in predicted energy output depending on the chosen technique. Costa Rocha et al. (2012) emphasized that selection of estimation methods significantly influences turbine placement decisions, especially in regions with heterogeneous wind profiles.

2.3 Regional Case Studies

Badawi (2013, 2018a, 2018b) provided critical insight into the Mediterranean coast of Palestine, applying multiple numerical methods for Weibull analysis. The research underscores site-specific optimization for wind farm deployment, revealing high potential in select coastal segments. Other regional studies, such as Bilir et al. (2015) in Turkey and Mohammadi et al. (2013, 2016) in Iran, offer parallel frameworks for comparative analysis, reinforcing the methodological robustness of statistical wind assessment models.

2.4 Research Gaps

Existing studies highlight several limitations, including short-term datasets, inconsistent methodological frameworks, and limited focus on optimization strategies (Azad et al., 2015; Fagbenle et al., 2011). Notably, there is a paucity of long-term, comparative assessments in Palestine, and integration of statistical modeling with practical turbine placement remains underexplored. This study addresses these gaps through a comprehensive 14-year analysis integrating multiple numerical

techniques for optimized energy planning.

METHODOLOGY

3.1 Data Collection

Wind speed and direction data were obtained from the Palestinian Energy and Natural Resources Authority (Data Source, 2019), complemented by satellite-derived estimates (Data_source_google_earth). The dataset spans 2005–2019, providing high-resolution temporal coverage. Key parameters include mean wind speed, frequency distribution, and seasonal variability, which are critical for power density calculations and turbine performance assessment.

3.2 Statistical Analysis

The core of the methodology involves modeling wind speed using Weibull and Rayleigh distributions. Weibull parameters were estimated using multiple numerical methods: maximum likelihood estimation, method of moments, and least squares fitting (Andrade et al., 2014; Arslan et al., 2014). Rayleigh distribution was employed as a benchmark for comparative analysis. For each dataset, the shape parameter (k) and scale parameter (c) were calculated to derive probability density functions and cumulative energy distributions.

3.3 Power Density Computation

Wind power density (W/m^2) was calculated using the formula:

$$P = \frac{1}{2} \rho V^3$$

where ρ is air density (kg/m^3) and V is wind speed (m/s). The integration of probability distributions enables estimation of mean annual power density, which informs optimal turbine sizing and placement (Pishgar-Komleh, 2015).

3.4 Comparative Numerical Methods

To validate methodology, three numerical approaches were compared:

1. Maximum likelihood estimation (MLE) – for parameter robustness in long-term datasets.
2. Method of moments (MoM) – for computational simplicity and rapid approximation.
3. Least squares estimation (LSE) – for regression-based fit to empirical frequency distributions.

The optimal method was selected based on minimized error between predicted and observed power density, ensuring reliability of long-term projections (Costa Rocha et al., 2012; Mohammadi et al., 2016).

3.5 Optimization Framework

Turbine placement and energy output optimization were conducted using a model integrating wind speed statistics with site-specific constraints, including topography, coastal proximity, and grid access. Simulations considered seasonal variability, turbine cut-in and cut-out speeds, and hub heights to maximize annual energy yield (Ismail et al., 2016).

RESULTS

4.1 Wind Speed Distribution

Analysis revealed mean annual wind speeds ranging from 5.2 to 7.6 m/s along the coast. Weibull distributions closely matched observed frequency patterns, with shape parameters (k) between 1.8–2.3, indicating moderate variability. Rayleigh distributions systematically underestimated extreme wind events, highlighting the superiority of Weibull modeling for this region (Pishgar-Komleh, 2015; Badawi, 2018a).

4.2 Power Density Estimation

Calculated annual power density ranged from 250–480 W/m^2 , with peak values during winter months due to seasonal wind acceleration. MLE-based Weibull estimation demonstrated minimal error (<5%) compared to observed energy output, outperforming MoM and LSE techniques. This

validates the use of MLE for long-term resource assessment in heterogeneous coastal environments (Akpinar & Akpinar, 2005; Andrade et al., 2014).

4.3 Turbine Placement Optimization

Simulation results identified optimal turbine sites within high-wind coastal segments, achieving projected capacity factors between 28–35%. Integration of wind variability and cut-in thresholds enhanced energy output consistency, reducing intermittency and supporting grid stability (Ismail et al., 2016; Mohammadi et al., 2016).

4.4 Comparative Analysis

Cross-referencing with regional studies (Bilir et al., 2015; Mohammadi & Mostafaeipour, 2013) confirmed that Palestine's coastal wind potential is comparable to established sites in Turkey and Iran. Differences primarily arise from local topography and seasonal variability, emphasizing the need for localized optimization.

DISCUSSION

5.1 Theoretical Implications

The findings underscore the importance of statistical modeling in wind energy assessment. Use of Weibull distributions with MLE parameter estimation provides a robust theoretical framework for long-term resource quantification (Pishgar-Komleh, 2015). Integrating seasonal variability ensures that system design accounts for fluctuations in power output, aligning with energy planning models in comparable Mediterranean regions.

5.2 Practical Implications

Optimized turbine placement along high-potential coastal segments enables enhanced electricity generation, reducing reliance on fossil fuels. Projected capacity factors indicate economically viable wind farm operation, while methodology offers a replicable framework for other understudied regions (Badawi, 2018a; Ismail et al., 2016).

5.3 Limitations

Limitations include sparse spatial coverage of wind measurements and reliance on secondary satellite data. Extreme events and micro-scale topography effects may introduce local deviations in predicted energy output. Future studies should incorporate mesoscale modeling and on-site measurement campaigns for improved accuracy (Azad et al., 2015).

5.4 Comparison with Literature

Consistent with Pishgar-Komleh (2015) and Mohammadi et al. (2016), this study demonstrates that Weibull-based MLE estimation provides the most reliable wind energy assessment. Comparative studies in Turkey and Iran show similar methodological trends, validating the universality of the analytical framework across coastal regions.

CONCLUSION

This study presents a rigorous, long-term assessment and optimization of wind energy potential along Palestine's Mediterranean coast. Through statistical modeling, comparative numerical analysis, and turbine placement optimization, the research provides a robust framework for maximizing electricity generation. Key contributions include:

1. Demonstration of Weibull-MLE superiority for long-term wind speed modeling.
2. Identification of high-potential coastal segments for turbine deployment.
3. Integration of seasonal variability into energy planning frameworks.

Future research should expand spatial coverage, incorporate mesoscale wind modeling, and explore hybrid renewable energy systems to further enhance energy security and sustainability in Palestine.

REFERENCES

1. Akpinar E. K., and Akpinar S. "An assessment

- on seasonal analysis of wind energy characteristics and wind turbine characteristics," *Energy Conversion and Management*, vol. 46, no.11, pp. 1848-1867, 2005.
2. Albatsh F. M., Mekhilef S., Ahmad S., Mokhlis H., and Hassan M., "Enhancing power transfer capability through flexible AC transmission system devices: a review," *Frontiers of Information Technology & Electronic Engineering*, vol. 16, no. 8, pp. 658-678, 2015.
 3. Albuhairi M. H., "Assessment and analysis of wind power density in Taiz-republic of Yemen," *Ass. Univ. Bull. Environ. Res*, vol. 9, no. 2, pp. 13-21, 2006.
 4. Andrade C. F. d., Maia Neto H. F., Costa Rocha P. A., and Vieira da Silva M. E., "An efficiency comparison of numerical methods for determining weibull parameters for wind energy applications: A new approach applied to the northeast region of Brazil," *Energy Conversion and Management*, vol. 86, pp. 801-808, 2014.
 5. Arslan T., Bulut Y. M., and Altın Yavuz A., "Comparative study of numerical methods for determining weibull parameters for wind energy potential," *Renewable and Sustainable Energy Reviews*, vol. 40, pp. 820-825, 2014.
 6. Azad A. K., Rasul M. G., Islam R., and Shishir, I. R., "Analysis of wind energy prospect for power generation by three weibull distribution methods," *Energy Procedia*, vol. 75, pp. 722-727, 2015.
 7. Badawi A. S. A., "An analytical study for establishment of wind farms in Palestine to reach the optimum electrical energy," *Masters Thesis of The Islamic University of Gaza, Palestine*, 2013.
 8. Badawi A. S. A., "Numerical Analysis for Determining the Weibull Parameters using Seven Techniques in the Mediterranean Coast of Palestine (Under Review)," *renewable energy* Elsevier, 2018a.
 9. Badawi A. S. A., "Weibull Probability Distribution of Wind Speed for Gaza Strip for 10 Years," 2018b.
 10. Bilir L., İmir M., Devrim Y., and Albostan A., "An investigation on wind energy potential and small scale wind turbine performance at İncek region–Ankara, Turkey," *Energy Conversion and Management*, vol. 103, pp. 910-923, 2015.
 11. Carlin P. W., "Analytical expressions for maximum wind turbine average power in a rayleigh wind regime," *National Renewable Energy Laboratory*, 1996.
 12. Costa Rocha P. A., de Sousa R. C., de Andrade C. F., and da Silva M. E. V., "Comparison of seven numerical methods for determining weibull parameters for wind energy generation in the northeast region of Brazil," *Applied Energy*, vol. 89, no. 1, pp. 395-400, 2012.
 13. Data Source, "Palestinian Energy and Natural Resources Authority," Gaza Strip, Palestine.
 14. Data_source_google_earth.
<https://earth.google.com>.
 15. Fagbenle R. O., Katende J., Ajayi O. O., and Okeniyi J. O., "Assessment of wind energy potential of two sites in North-East, Nigeria," *Renewable Energy*, vol. 36, no. 4, pp. 1277-1283, 2011.
 16. FRIED, L., "Global Wind Statistics," *Global Wind Energy Council (GWEC)*, 2017.
 17. GWEC, "Global wind statistics 2016", *GWEC*, 2017.
 18. Ismail B., Naain M. M., Alhamrouni I., Awalın L. J., Albatsh F., and Hamid, M. F. A., "Proposed location of grid connected wind-pv hybrid system based on load flow and voltage stability indices study," *World Academy of Science, Engineering and Technology, International*

Journal of Electrical and Computer Engineering, vol. 3, no. 12, 2016.

19. Mohammadi K., Alavi O., Mostafaeipour A., Goudarzi N., and Jalilvand M., "Assessing different parameters estimation methods of weibull distribution to compute wind power density," Energy Conversion and Management, vol. 108, pp. 322-335, 2016.
20. Mohammadi K., and Mostafaeipour A., "Using different methods for comprehensive study of wind turbine utilization in Zarrineh, Iran," Energy Conversion and Management, vol. 65, pp. 463-470, 2013.
21. Parajuli A., "A statistical analysis of wind speed and power density based on weibull and rayleigh models of Jumla, Nepal," Energy and Power Engineering, vol. 8, no. 7, pp. 271-282, 2016.
22. PCBS, P. C. B. o. S., "Wind speed for Gaza Strip," Islamic University of Gaza, 2007.
23. Pishgar-Komleh S. H., Keyhani A., and Sefeedpari P., "Wind speed and power density analysis based on weibull and rayleigh distributions (a case study: Firouzkooch county of Iran)," Renewable and Sustainable Energy Reviews, vol. 42, pp. 313-322, 2015.